

STATIC STOPPER AEROSOL, TX1234 Safety Data Sheet

TEXWIPE CO -- STATIC STOPPER AEROSOL, TX1234 -- 6850-00N027047

=====
Product Identification
=====

Product ID:STATIC STOPPER AEROSOL, TX1234
MSDS Date:01/01/1991
FSC:6850
NIIN:00N027047
MSDS Number: BNLJZ
=== Responsible Party ===
Company Name:TEXWIPE CO
Address:650 E CRESCENT AVE
City:UPPER SADDLE RIVER
State:NJ
ZIP:07458
Country:US
Info Phone Num:201-327-9100
Emergency Phone Num:800-284-5577;800-424-9300(CHEMTREC)
Preparer's Name:SCOTT FAHY
CAGE:21994
=== Contractor Identification ===
Company Name:TEXWIPE CO
Address:650 E CRESENT AVE
Box:308
City:UPPER SADDLE RIVER
State:NJ
ZIP:07458-1827
Country:US
Phone:201-327-5577
CAGE:21994

=====
Composition/Information on Ingredients
=====

Ingred Name:ISOPROPYL ALCOHOL; (ISOPROPANOL)
CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: 15.0%
OSHA PEL:400 PPM;500 PPM STEL
ACGIH TLV:400 PPM;500 PPM STEL

Ingred Name:TALLOW AMINES, POLYOXYETHYLENE DERIVS; (POLYOXYETHYLENE
ALKYL AMINE)
CAS:61791-26-2
RTECS #:WW3150000
Fraction by Wt: 3.0%

Ingred Name:PROPELLANT CONTAINING INGREDIENTS 4 & 5
RTECS #:9999999ZZ
Fraction by Wt: 6%

Ingred Name:PROPANE, 2-METHYL-; (ISOBUTANE)
CAS:75-28-5
RTECS #:TZ4300000
ACGIH TLV:900 PPM (MFR)

Ingred Name:PROPANE
CAS:74-98-6
RTECS #:TX2275000
Other REC Limits:900 PPM (MFR)
OSHA PEL:1000 PPM
ACGIH TLV:SIMPLE ASPHYXIAANT

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:POSSIBLE EYE IRRITATION. SKIN EFFECTS
SHOULD BE MINIMAL.
Explanation of Carcinogenicity:NOT RELEVANT.
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:NONE LISTED.

=====
First Aid Measures
=====

First Aid:EYE: IMMED FLUSH WITH POTABLE WATER FOR A MINIMUM OF 15 MIN,
SEEK ASSISTANCE FROM MD . SKIN: WILL NOT OCCUR. FLUSH WITH COPIOUS
AMOUNTS OF WATER. CALL MD . INHAL: REMOVE TO FRESH AIR. INGE ST:
CONTACT PHYS. TREAT FOR DETERGENT/ISOPROPYL ALCOHOL INGESTION.

=====
Fire Fighting Measures
=====

Flash Point Method:TCC
Flash Point:110F,43C
Extinguishing Media:FOAM, WATER SPRAY, DRY CHEMICAL, CO2, AND
VAPORIZING LIQUID TYPE EXTINGUISHING MEDIA.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL
PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard:WATER MAY BE INEFFECTIVE, BUT SHOULD BE
USED TO KEEP CONTAINERS COOL. DECOMPOSITION MAY OCCUR.

=====
Accidental Release Measures
=====

Spill Release Procedures:CLEAN UP SPILLS WITH ABSORBENT MATERIAL.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:USE IN WELL VENTILATED AREA. STORE IN
COOL DRY PLACE.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE
FOR EXPOSURE OF CONCERN .
Ventilation:USE IN WELL VENTILATED AREAS. MAINTAIN RECOMMENDED TLV'S.
MAINTAIN VENTILATION.
Protective Gloves:IMPERVIOUS GLOVES .
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:V3
Boiling Pt:B.P. Text:190F,88C
Vapor Pres:26@25C
Vapor Density:>1
Spec Gravity:0.979 G/CC@25C
Evaporation Rate & Reference:>1.0(BUTYL ACETATE=1)
Solubility in Water:100.0 (1 ATM@25C)
Appearance and Odor:SOLVENT MIXTURE IS CLEAR VISCOUS LIQUID,
HYDROCARBON ODOR.
Percent Volatiles by Volume:>97.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE LISTED.
Stability Condition to Avoid:HEAT OR OPEN FLAME.
Hazardous Decomposition Products:NONE LISTED.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND
LOCAL REGULATIONS. DO NOT INCINERATE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.