## IN THE SUPREME COURT OF THE STATE OF ALASKA ORDER NO. 1585

Amending Administrative Rule 43.1, Traffic Bail Forfeiture Schedule

### IT IS ORDERED:

Administrative Rule 43.1 is revised as follows:

## Rule 43.1. Traffic Bail Forfeiture Schedule.

Pursuant to AS 28.05.151, the following vehicle and traffic offenses are amenable to disposition without court appearance upon payment and forfeiture of the bail amounts listed. If a person charged with one of these offenses appears in court and is found guilty, the penalty imposed for the offense may not exceed the bail amount for that offense listed below. An offense for which a bail forfeiture amount has been established shall be charged on a citation which meets the requirements of District Court Criminal Rule 8(c) and shall not be filed, numbered, or processed as a criminal case.

Effective April 30, 1999, the bail amounts listed below are doubled for violations of AS 28 and regulations adopted under AS 28 committed within a highway work zone, as that term is defined in AS 28.40.100 and 13 AAC 40.010(b).

Pursuant to AS 28.15.131 and 13 AAC 04.008, a citation for an offense listed as "Corr" must be dismissed (or voided) if proof of correction is presented to an inspection official within the time allowed. If the required repair is not made, the offense may be disposed of without court appearance upon payment and forfeiture of the bail amount listed.

Effective August 27, 1998, as a condition of the disposition of an offense without appearance, the defendant shall pay the surcharge prescribed in AS 12.55.039 in addition to the bail forfeiture amount listed below. A court may allow a defendant who is unable to pay the surcharge to perform community work under AS 12.55.055(c) in lieu of the

surcharge. The surcharge must be deposited into the general fund in a separate account designated for such surcharges.

Effective September 1, 2003, pursuant to AS 28.05.151(e), an offense listed on this schedule may not be disposed of without court appearance if the offense is in connection with a motor vehicle accident that results in the death of a person.

The maximum bail amount for any of the offenses listed below in which the bail is stated as an amount per mile, per foot, per lamp, per reflector, per tire, or per wheel is the maximum fine allowed by statute for the offense. These maximum amounts are doubled for violations of AS 28 and regulations adopted under AS 28 committed within a highway work zone, as that term is defined in AS 28.40.100 and 13 AAC 40.010(b).

| Statute or Regulation | Description of Offense   | Bail   |
|-----------------------|--|--------|
| AS 11.46.462          | Unlawful possession of an official traffic control device  | \$ 200 |
| AS 28.05.095(a)       | Failure to wear safety belt (age 16 and older: passenger or driver)  | 15     |
| AS 28.05.095(b)       | Failure to provide child safety device. (Note:<br>First charge may be dismissed by court<br>upon proof of correction, but second or<br>subsequent charge is not dismissible) | 50     |
| AS 28.05.095(b)       | Failure to properly secure child in child safety device  | 50     |
| AS 28.05.095(d)       | Illegal removal of vehicle seatbelt  | 15     |
| AS 28.10.451          | Failure to register vehicle  | 90     |
| AS 28.10.461          | Plates/decals/permits must be properly<br>attached and displayed   | 75     |
| AS 28.10.461          | Failure to carry certificate of registration in vehicle  | 40     |
| AS 28.10.471          | Operating vehicle w/expired registration   | 90     |
| AS 28.10.471          | Operating a vehicle w/suspended/revoked registration   | 300    |
| AS 28.15.011(b)       | Driving with license expired less than one<br>year   | 75     |

| Statute or Regulation | Description of Offense  | Bail       |
|-----------------------|---|------------|
| AS 28.15.021(2)       | Driving with out-of-state license after 90 days in state  | 75         |
| AS 28.15.021(6)       | Driving a motor-driven cycle with out-of-<br>state driver's license after 90 days in state                                | 75         |
| AS 28.15.057(b)       | Operating a vehicle in violation of a provisional license   | 200        |
| AS 28.15.131          | License to be carried and exhibited on demand   | Corr/50    |
| AS 28.15.281(a)       | Unlawful use of a driver's license  | 200        |
| AS 28.22.019          | Proof of insurance to be carried and exhibited on demand  | Corr/150   |
| AS 28.35.029          | Open container of alcoholic beverage in motor vehicle   | 200        |
| AS 28.35.031(e)       | Refusal to submit to a preliminary breath test  | 100        |
| AS 28.35.135(b)       | Failure to notify dept. of change of<br>name/address  | 40         |
| AS 28.35.140(a)       | Obstructing or blocking traffic   | 75         |
| AS 28.35.140(b)       | Turn off required when 5 or more vehicles are behind  | 100        |
| AS 28.35.145(e)       | Ownership of a vehicle which illegally<br>passes a school bus   | 75         |
| AS 28.35.155          | Operating vehicle w/studded/chained tires when prohibited   | Corr/50    |
| AS 28.35.180          | Disobedience to signal of officer regulating traffic  | 75         |
| AS 28.35.185(b)(2)    | Overtaking and passing a parked<br>emergency vehicle – if no personal injury  | 150        |
| AS 28.35.235          | Unauthorized use of parking reserved for persons with disabilities  |            |
|                       | -First offense<br>-Second or more offense   | 125<br>250 |
| AS 28.35.235          | Unauthorized use of parking reserved for<br>persons with disabilities while displaying<br>special license plate or permit |            |
|                       | -First offense -Second or more offense  | 250<br>500 |
| AS 28.35.251          | Contained or confined loads   | 300        |
| AS 28.35.253          | Anti-spray devices required   | Corr/60    |
| AS 28.39.010          | Operating an unregistered snowmobile  | 50         |
| AS 28.39.040(e)       | Failure to display snowmobile numbered registration decal   | 50         |
| AS 28.39.040(f)       | Failure to carry snowmobile certificate of registration or provide identifying information                                | 50         |

| 13 AAC 02.005(a)Disobedience to traffi13 AAC 02.010(a)(1)(A)-FTY to vehicle in inte(B)signal |                               |
|--|-------------------------------|
| 13 AAC 02.010(a)(1)(A)- FTY to vehicle in inte<br>(B) signal                                 | rsection after green 150      |
| (B) signal   | 5                             |
| •  | arosswalk after groop 150     |
| 13 AAC 02.010(a)(1)(A)- FTY to pedestrian in (   |                               |
| (B) signal   | rootwait alter groot          |
| 13 AAC 02.010(a)(3)(A) Failure to stop for ste   | ady red traffic signal 150    |
| 13 AAC 02.010(a)(3)(B) FTY when turning on   |                               |
| 13 AAC 02.010(a)(3)(B) Turning on red signal   | •                             |
| 13  AAC  02.010(a)(3)(C) Failure to stop for ste   | •                             |
| 13 AAC 02.010(b) Position of vehicle sto   | •                             |
| 13 AAC 02.015 Failure to obey pedes  |                               |
| 51   | stopping for flashing red 150 |
| signal   |                               |
| 13 AAC 02.020(a)(1) Failure to stop for flas   |                               |
| 13 AAC 02.025Lane use control sign   |                               |
| 13 AAC 02.030(a) Display of unauthoriz<br>markings   | ed signs, signals, or 50      |
| 13 AAC 02.050(a) Failure to drive on rig   | 2                             |
|  | of obstructed roadway 150     |
| 13 AAC 02.050(b) Vehicle not to use left<br>speed limit                                      | ane at less than 75           |
| 13 AAC 02.055(a)-(c) Improper overtaking of  | on right 75                   |
| 13 AAC 02.055(b) Return to lane only w   | hen clear 100                 |
| 13 AAC 02.060(a) Limitations on driving  |                               |
| 13 AAC 02.065(a) Improper overtaking of  |                               |
| 13 AAC 02.065(a) FTY to overtaking vel   |                               |
| 13 AAC 02.065(b) FTY to oncoming traf  |                               |
| 13 AAC 02.070 FTY 1/2 of roadway to  |                               |
| and failure to pass or vehicle   | 0                             |
| 13 AAC 02.075(b) Passing/driving left of zone  | center in no pass 150         |
| 13 AAC 02.080(b)-(c) Wrong way on one-w  | ay roadway 100                |
| 13 AAC 02.085(a) Improper lane change  |                               |
| 13 AAC 02.085(b) Improper use of center  |                               |
| roadway  |                               |
| 13 AAC 02.090(a)-(c) Following too closely   | 100                           |
| 13 AAC 02.095(a) Driving over, across of   | or within barrier/median 100  |
| 13 AAC 02.095(a) Failure to stay on righ   | nt side of divided 100        |
| highway  |                               |
| 13 AAC 02.095(c) Improper entry/exit –<br>highway  | - controlled-access 75        |
| <b>3</b> ,   | lge on narrow/winding 75      |

| Statute or Regulation | Description of Offense   | Bail |
|-----------------------|--|------|
| 13 AAC 02.120(a)      | FTY to vehicle on right at unsigned intersection   | 90   |
| 13 AAC 02.120(b)      | FTY to vehicle entering intersection after stop  | 150  |
| 13 AAC 02.120(d)      | Failure to yield when entering roundabout  | 150  |
| 13 AAC 02.120(f)      | Improper lane change in or exiting from a roundabout   | 75   |
| 13 AAC 02.125         | FTY when turning left  | 150  |
| 13 AAC 02.130(b)      | Improper position of vehicle stopping at stop sign   | 75   |
| 13 AAC 02.130(b)-(c)  | FTY after stopping or at yield sign  | 150  |
| 13 AAC 02.130(b)      | Failure to stop for stop sign  | 100  |
| 13 AAC 02.135(b)      | FTY when entering roadway from<br>non-roadway  | 100  |
| 13 AAC 02.140(a)-(b)  | FTY to authorized emergency vehicle  | 250  |
| 13 AAC 02.140(c)      | Driver of emergency vehicle not to disregard safety  | 100  |
| 13 AAC 02.150(a)-(b)  | Pedestrians subject to traffic regulations   | 40   |
| 13 AAC 02.155(a)      | FTY to pedestrian in crosswalk   | 100  |
| 13 AAC 02.155(b)      | Pedestrian to exercise due caution   | 50   |
| 13 AAC 02.155(c)      | Vehicle not to pass vehicle stopped for<br>pedestrian  | 75   |
| 13 AAC 02.155(e)      | Not to drive within or through pedestrian<br>safety zone   | 50   |
| 13 AAC 02.160(a)-(f)  | Pedestrian crossing at other than crosswalks   | 25   |
| 13 AAC 02.175(a)-(e)  | Pedestrian to use sidewalk/left edge of road-<br>way and not interfere, sleep, loiter or ob-<br>struct   | 40   |
| 13 AAC 02.180         | Pedestrian not to distract drivers when<br>soliciting rides and pedestrian not to solicit<br>employment, business or contributions from<br>vehicle occupants | 50   |
| 13 AAC 02.190(a)      | FTY to pedestrian w/white cane/guide dog   | 150  |
| 13 AAC 02.190(b)      | Not to use white cane/guide dog unless<br>blind  | 150  |
| 13 AAC 02.195(a)      | Pedestrian FTY to authorized emergency vehicle   | 50   |
| 13 AAC 02.200(a)-(c)  | Improper position/method turning at intersection   | 75   |
| 13 AAC 02.205(a)-(b)  | U-turn only when safe/not on hill, crest or curve  | 75   |
| 13 AAC 02.210         | Improper start from parked/stopped standing  | 75   |

| Statute or Regulation                    | Description of Offense   | Bail  |
|--|--|---|
| 13 AAC 02.215(a)-(f)                     | Signals required turn/stop/slowing-<br>discontinue after   | 75  |
| 13 AAC 02.240(a)-(b)<br>13 AAC 02.250(a) | Obedience to train signals and barriers<br>Certain vehicles to stop at all railroad<br>crossings   | 100<br>200  |
| 13 AAC 02.255(a)-(b)                     | Heavy equipment to give notice of railroad crossing  | 75  |
| 13 AAC 02.255(a)-(c)                     | Heavy equipment to stop at railroad cross-<br>ing  | 200   |
| 13 AAC 02.257                            | Give warning w/horn when vision restrict-<br>ed/alley/driveway/buildings   | 50  |
| 13 AAC 02.257<br>13 AAC 02.257           | Stop: emerging from alley/driveway/building<br>Position of stop when emerging from al-<br>ley/driveway/building  | 100<br>75   |
| 13 AAC 02.265<br>13 AAC 02.275(a)        | Stop when traffic may be obstructed<br>Basic speed: reasonable & prudent for road<br>conditions  | 75<br>90  |
| 13 AAC 02.275(b)                         | Speeding:<br>-3-19 mph over posted limit<br>-20 mph or more over limit   | 8/mi. <sup>1</sup><br>12/mi. <sup>1</sup>   |
| 13 AAC 02.280(a)-(d)                     | Altered speed limits:<br>-3-19 mph over posted limit<br>-20 mph or more over limit   | 8/mi. <sup>1</sup><br>12/mi. <sup>1</sup>   |
| 13 AAC 02.295<br>13 AAC 02.325(a)        | Minimum speed regulation<br>Speed limitation on motor-driven cycles at<br>night  | 60<br>60  |
| 13 AAC 02.325(b)&(e)                     | Special speed limit when: (b) towing mobile<br>home or (e) passing school bus with<br>flashing yellow lights<br>-3-19 mph over<br>-20 mph or more over limit | 8/mi. <sup>1</sup><br>12/mi. <sup>1</sup>   |
| 13 AAC 02.325(c)                         | Driving with lighted headlights at<br>unreasonable speed   | 75  |
| 13 AAC 02.325(d)                         | Speed: over 20 mph in marked crosswalk speed zone of public school or playground   |   |
|  | -3-9 mph over<br>-10-19 mph over<br>-20 mph or over  | 12/mi. <sup>1</sup><br>14/mi. <sup>1</sup><br>16/mi. <sup>1</sup>                       |
| 13 AAC 02.325(f)                         | Overweight, oversize or excess speed when<br>crossing over bridge or through tunnel<br>-3-19 mph over<br>-20 mph or over<br>-Overwidth<br>-Overlength        | 8/mi. <sup>1</sup><br>12/mi. <sup>1</sup><br>50/ft. <sup>1</sup><br>25/ft. <sup>1</sup> |

| Statute or Regulation | Description of Offense   | Bail     |
|-----------------------|--|----------|
|                       | -Overweight  | .05/lb.  |
| 13 AAC 02.330         | Racing on the highway  | 300      |
| 13 AAC 02.340(a)-(d)  | Stopping/standing/parking on highway/other   | 25       |
| (except (d)(1)(L))    | location   |          |
| 13 AAC 02.365(a)-(g)  | Additional parking regulations   | 25       |
| 13 AAC 02.367(d)      | Not to stop/stand/park in loading zone   | 25       |
| 13 AAC 02.372(b)      | Position of bus stopping to load/unload passengers                                 | 25       |
| 13 AAC 02.372(c)      | Taxi cab restrictions on standing/parking  | 50       |
| 13 AAC 02.372(d)      | Stop/stand in bus stop/taxi stand  | 25       |
| 13 AAC 02.377(c)-(f)  | Parking meter violations   | 15       |
| 13 AAC 02.395(b)-(e)  | Special bicycle violations   | 40       |
| 13 AAC 02.400(a)-(h)  | Riding bicycles on roadways/-bike paths  | 40       |
| 13 AAC 02.420(a)-(c)  | Parking of bicycles  | 20       |
| 13 AAC 02.425(a)-(c)  | Special motorcycle violations  | 60       |
| 13 AAC 02.425(d)      | Motorcycle cling to other vehicle  | 200      |
| 13 AAC 02.427(a)      | Motor vehicle not to deprive motorcycle of   | 50       |
| 1070 (C 02: 12) (C)   | full lane use  | 00       |
| 13 AAC 02.427(a)      | Motorcycles more than two abreast  | 50       |
| 13 AAC 02.427(b)      | Motorcycle passing in same lane as other   | 50       |
|                       | motor vehicle  |          |
| 13 AAC 02.445         | Snowmobile and other off-highway vehicle<br>violations                             | 75       |
| 13 AAC 02.455(a)-(f)  | Snowmobile and other off-highway vehicle operation on highways and other locations | 50       |
| 13 AAC 02.455(g)      | Snowmobile or other off-highway vehicle traveling on pedestrian pathway            | 100      |
| 13 AAC 02.480         | Requirements for unattended motor vehicle  | 50       |
| 13 AAC 02.480         | Bicycles/pedestrians traveling in prohibited                                       | 50<br>50 |
|                       | area   |          |
| 13 AAC 02.482(a)      | Driving a motor vehicle where prohibited   | 150      |
| 13 AAC 02.482(b)      | Non-motorized vehicle to yield to traffic on<br>roadway                            | 40       |
| 13 AAC 02.485(a)-(b)  | Limitation on backing  | 75       |
| 13 AAC 02.487         | Driving vehicle on sidewalk  | 150      |
| 13 AAC 02.495(a)-(c)  | Obstructing driver's view/-control of vehicle                                      | 75       |
| 13 AAC 02.495(d)      | Opening doors/entering or leaving when vehicle in motion                           | 25       |
| 13 AAC 02.495(e)-(f)  | Person riding outside vehicle or in trailer  | 100      |
| 13 AAC 02.497(a)      | Interfering w/funeral procession   | 75       |
| 13 AAC 02.497(b)      | Requirements for drivers in funeral  | 60       |
|                       | procession   |          |
| 13 AAC 02.497(c)      | Permit requirements for funeral proces-<br>sion/parade                             | 40       |

| Statute or Regulation                                     | Description of Offense   | Bail                    |
|---|--|-------------------------|
| 13 AAC 02.505(a)-(c)<br>13 AAC 02.505(d)-(e)              | Animals on the highway<br>Motor vehicle drivers to exercise due care re<br>animals                       | 200<br>125              |
| 13 AAC 02.515<br>13 AAC 02.517(a)-(g)<br>13 AAC 02.520(a) | Coasting prohibited<br>Emergency vehicle regulations<br>Following emergency vehicle closer than          | 50<br>60<br>100         |
| 13 AAC 02.520(b)  | 500 feet<br>Improper stopping/parking at emergency   | 100                     |
| 13 AAC 02.520(c)<br>13 AAC 02.530(a)-(b)                  | scene<br>Crossing fire hose<br>Littering/depositing material on highway                                  | 100                     |
| 13 AAC 02.330(a)-(b)                                      | -Depositing garbage, glass, nails, tacks,<br>wire, cans, oil or other substance                          | 150                     |
|   | -Littering from a motor vehicle – over 5<br>pounds (see AS 46.06.080 for 5 pounds or<br>less)            | 100                     |
| 13 AAC 02.530(d)  | Haul/drag material causing damage to highway   | 150                     |
| 13 AAC 02.532<br>13 AAC 02.545(a)<br>13 AAC 02.545(b)     | Railroad trains not to block roadways<br>Drinking while driving<br>Drivers to exercise due care to avoid | 50<br>300<br>150        |
| 13 AAC 03.005(a)  | collision<br>Commercial vehicle:Disobedience to traffic<br>control devices                               | 150 or MCA <sup>2</sup> |
| 13 AAC 03.010(a)(1)(A)-<br>(B)                            | Commercial vehicle: FTY to vehicle in intersection after green signal                                    | 150 or MCA <sup>2</sup> |
| (B)<br>13 AAC 03.010(a)(1)(A)-<br>(B)                     | Commercial vehicle: FTY to pedestrian in<br>crosswalk after green signal                                 | 150 or MCA <sup>2</sup> |
| (D)<br>13 AAC 03.010(a)(3)(A)                             | Commercial vehicle: Failure to stop for steady red traffic signal  | 200 or MCA <sup>2</sup> |
| 13 AAC 03.010(a)(3)(B)                                    | Commercial vehicle: FTY when turning on red signal   | 150 or MCA <sup>2</sup> |
| 13 AAC 03.010(a)(3)(B)                                    | Commercial vehicle: Turning on red signal  | 150 or MCA <sup>2</sup> |
| 13 AAC 03.010(a)(3)(C)                                    | when prohibited<br>Commercial vehicle: Failure to stop for   | 200 or MCA <sup>2</sup> |
| 13 AAC 03.050(a)  | steady red arrow<br>Commercial vehicle: Failure to drive on right  | 150 or MCA <sup>2</sup> |
| 13 AAC 03.050(a)(3)                                       | side of roadway<br>Commercial vehicle: FTY when driving left   | 200 or MCA <sup>2</sup> |
| 13 AAC 03.050(b)  | of obstructed roadway<br>Commercial vehicle:Not to use left lane at                                      | 100 or MCA <sup>2</sup> |
| 13 AAC 03.050(b)  | less than speed limit<br>Commercial vehicle: Turn off required when<br>5 or more vehicles are behind     | 150 or MCA <sup>2</sup> |

| Statute or Regulation | Description of Offense  | Bail                                       |
|-----------------------|---|--|
| 13 AAC 03.055(a)      | Commercial vehicle: Improper overtaking on right  | 100 or MCA <sup>2</sup>                    |
| 13 AAC 03.055(b)      | Commercial vehicle: Return to lane only when clear  | 200 or MCA <sup>2</sup>                    |
| 13 AAC 03.060(a)      | Commercial vehicle: Limitations on driving left of center   | 150 or MCA <sup>2</sup>                    |
| 13 AAC 03.065(a)      | Commercial vehicle: Improper overtaking on the left   | 200 or MCA <sup>2</sup>                    |
| 13 AAC 03.065(a)      | Commercial vehicle: FTY to overtaking vehicle   | 200 or MCA <sup>2</sup>                    |
| 13 AAC 03.065(b)      | Commercial vehicle: FTY to oncoming traffic when passing  | 200 or MCA <sup>2</sup>                    |
| 13 AAC 03.070         | Commercial vehicle: FTY 1/2 of roadway to oncoming vehicle and failure to pass on right of oncoming vehicle | 200 or MCA <sup>2</sup>                    |
| 13 AAC 03.080(b)-(c)  | Commercial vehicle: Wrong way on one-<br>way roadway  | 150 or MCA <sup>2</sup>                    |
| 13 AAC 03.085(b)      | Commercial vehicle: Improper use of center lane of 3-lane roadway   | 100 or MCA <sup>2</sup>                    |
| 13 AAC 03.095(a)      | Commercial vehicle: Driving over, across or within barrier/median   | 200 or MCA <sup>2</sup>                    |
| 13 AAC 03.095(a)      | Commercial vehicle: Failure to stay on right side of divided highway  | 200 or MCA <sup>2</sup>                    |
| 13 AAC 03.095(c)      | Commercial vehicle: Improper entry/exit-<br>controlled-access highway                                       | 150 or MCA <sup>2</sup>                    |
| 13 AAC 03.107         | Commercial vehicle: Drive nearest right<br>edge on narrow/winding roadway                                   | 150 or MCA <sup>2</sup>                    |
| 13 AAC 03.155(a)      | Commercial vehicle: FTY to pedestrian in crosswalk  | 150 or MCA <sup>2</sup>                    |
| 13 AAC 03.155(b)      | Pedestrian to exercise due caution  | 50   |
| 13 AAC 03.155(c)      | Commercial vehicle: Not to pass vehicle<br>stopped for pedestrian   | 150 or MCA <sup>2</sup>                    |
| 13 AAC 03.155(e)      | Commercial vehicle: Not to drive within or through pedestrian safety zone                                   | 90 or MCA <sup>2</sup>                     |
| 13 AAC 03.275(a)      | Commercial vehicle basic speed:<br>reasonable & prudent for road conditions                                 | 200 or MCA <sup>2</sup>                    |
| 13 AAC 03.275(b)      | Commercial vehicle speeding:  | 10/m; <sup>1</sup> or                      |
|                       | -3-9 mph over posted limit  | 12/mi. <sup>1</sup> or<br>MCA <sup>2</sup> |
|                       | -10-14 mph over posted limit  | 20/mi. <sup>1</sup> or<br>MCA <sup>2</sup> |
| 13 AAC 03.280(a)-(d)  | Commercial vehicle altered speed limits:<br>-3-9 mph over posted limit                                      | 12/mi. <sup>1</sup> or<br>MCA <sup>2</sup> |

| Statute or Regulation                | Description of Offense   | Bail                                       |  |
|--------------------------------------|--|--|--|
|                                      | -10-14 mph over posted limit   | 20/mi. <sup>1</sup> or<br>MCA <sup>2</sup> |  |
| 13 AAC 03.295                        | Commercial vehicle: minimum speed regulation   | 90 or MCA <sup>2</sup>                     |  |
| 13 AAC 03.325(b),(c),(e)             | Commercial vehicle special speed limit<br>when:<br>(b) Towing mobile home, or<br>(c) Equipped with lighted headlights, or<br>(e) Passing school bus with flashing yellow<br>lights |  |  |
|                                      | -3-9 mph over  | 15/mi. <sup>1</sup> or<br>MCA <sup>2</sup> |  |
|                                      | -10-14 mph over  | 20/mi. <sup>1</sup> or<br>MCA <sup>2</sup> |  |
| 13 AAC 03.325(f)                     | Commercial vehicle: overweight, oversize or<br>excess speed when crossing over bridge or<br>through tunnel   | 15/mi. <sup>1</sup> or                     |  |
|                                      | -3-9 mph over  | MCA <sup>2</sup>                           |  |
|                                      | -10-14 mph over  | 20/mi. <sup>1</sup> or<br>MCA <sup>2</sup> |  |
|                                      | -Overwidth   | 50/ft. <sup>1</sup> or<br>MCA <sup>2</sup> |  |
|                                      | -Overlength  | 25/ft. <sup>1</sup> or<br>MCA <sup>2</sup> |  |
|                                      | -Overweight  | .05/lb. or<br>MCA <sup>2</sup>             |  |
| 13 AAC 04.002<br>13 AAC 04.003       | Unlawful to drive unsafe vehicle<br>Minimum equipment required for<br>sale/rent/lease/loan   | 150<br>75                                  |  |
| 13 AAC 04.004(a)-(c)                 | Sale or use of equipment   | 50   |  |
| 13 AAC 04.005(a)<br>13 AAC 04.005(b) | Disconnection/alteration of equipment<br>Operating a vehicle modified to be too low<br>or too high   | 50<br>300                                  |  |
| 13 AAC 04.005(c)                     | Operating a vehicle with features or load<br>adversely affecting steering, braking or<br>stability   | 200  |  |
| 13 AAC 04.006(b)-(c)                 | Submit to roadside vehicle inspection  | 75   |  |
| 13 AAC 04.007(c)-(d)                 | Not to move unsafe vehicle unless<br>authorized  | 150  |  |
| 13 AAC 04.009 (a)-(c)                | Prohibited practices — Inspection/repair   | 50   |  |
| 13 AAC 04.010                        | Illuminate lights as required  | 50   |  |
| 13 AAC 04.015(d)                     | Lights must be in good working order, securely mounted, not obstructed   | 75   |  |

| Statute or Regulation    | Description of Offense                                   | Bail     |
|--------------------------|--|----------|
| 13 AAC 04.020(a)&(f)-(g) | Headlight requirements                                   | Corr/40  |
| 13 AAC 04.020(e)(1)-(2)  | Headlight dimming requirements                           | 50       |
| 13 AAC 04.025(a)-(c)     | Taillight requirements                                   | Corr/40  |
| 13 AAC 04.030(a)         | Reflector requirements                                   | Corr/40  |
| 13 AAC 04.035(a)-(c)     | Stop light requirements                                  | Corr/40  |
| 13 AAC 04.037(a)-(c)     | Turn light requirements                                  | Corr/40  |
| 13 AAC 04.040(a)-(q)     | Additional lighting requirements                         | Corr/40  |
| 13 AAC 04.070(a)-(d)     | Parking light requirements                               | Corr/40  |
| 13 AAC 04.070(e)         | Parking lights not used when vehicle in<br>motion        | 50       |
| 13 AAC 04.090(a),(c),(g) | Additional lights required for emergency vehicle         | Corr/40  |
| 13 AAC 04.095(c)&(e)-(g) | Flashing yellow vehicular light requirements             | Corr/40  |
| 13 AAC 04.095(d)&(g)-(i) | Flashing yellow lights used when required                | 75       |
| 13 AAC 04.097(a)         | Use of flashing red light - school bus                   | 60       |
| 13 AAC 04.097(a)-(c)     | Special school bus lighting equipment                    | Corr/100 |
| 13 AAC 04.100(a)-(h)     | Improper use of flashing blue lights                     | 60       |
| 13 AAC 04.145 (a)-(e)    | Improper use of auxiliary/spot lights                    | 60       |
| 13 AAC 04.145(a)-(e)     | Restrictions on lighting equipment                       | Corr/40  |
| 13 AAC 04.145(f)         | Use of lights in colors not authorized                   | 50       |
| 13 AAC 04.205(a)-(c)     | Brake requirements                                       | Corr/90  |
| 13 AAC 04.205(d)-(e)     | Improper towing  | 300      |
| 13 AAC 04.210(a)         | Failure to give audible warning as required              | 50       |
| 13 AAC 04.210(a)-(d)     | Horn/warning device requirements                         | Corr/60  |
| 13 AAC 04.215(a)         | Exhaust system improperly modified                       | Corr/150 |
| 13 AAC 04.215(a)-(b)     | Muffler requirements                                     | Corr/60  |
| 13 AAC 04.220(a)-(c)     | Mirror requirements                                      | Corr/60  |
| 13 AAC 04.223            | Tinted windows   | Corr/150 |
| 13 AAC 04.225 (a)-(b)    | View not to be obstructed                                | 60<br>0  |
| 13 AAC 04.225(a)-(g)     | Windshield and wiper requirements                        | Corr/50  |
| 13 AAC 04.227(a)-(b)     | Steering assembly, wheel alignment and body condition    | Corr/200 |
| 13 AAC 04.230(a)-(e)     | Tire restrictions and requirements                       | Corr/100 |
| 13 AAC 04.240(a)-(c)     | Flares/other warning devices requirements                | 75       |
| 13 AAC 04.245(a)-(i)     | Display of warning lights/devices                        | 75       |
| 13 AAC 04.247(a)-(c)     | Color/special equipment on school buses                  | Corr/100 |
| 13 AAC 04.247(d)         | Improper use of signs/stop arm on school<br>bus          | 50       |
| 13 AAC 04.250            | Compressed gas fuel requirements: venting<br>and signage | Corr/150 |
| 13 AAC 04.252(a)-(c)     | Slow moving vehicle emblem requirements                  | 50       |
| 13 AAC 04.255(b)-(d)     | Air-conditioning equipment requirements                  | Corr/100 |
| 13 AAC 04.257            | Emission control system requirements                     | Corr/100 |

| Statute or Regulation | Description of Offense   | Bail    |
|-----------------------|--|---------|
| 13 AAC 04.260(a)-(c)  | Restrictions on television/headset in motor vehicle                      | 150     |
| 13 AAC 04.265(a)-(b)  | Anti-spray device requirements (see AS 28.35.253 also)                   | Corr/50 |
| 13 AAC 04.270(a)&(c)  | Safety belt requirements   | Corr/75 |
| 13 AAC 04.272         | Energy absorption system requirements                                    | Corr/75 |
| 13 AAC 04.275(a)-(e)  | Connections/safety devices—towed<br>vehicles                             | 75      |
| 13 AAC 04.320(a)-(b)  | Motorcycle headlight requirements  | Corr/40 |
| 13 AAC 04.320(c)      | Bicycle headlight requirements   | Corr/40 |
| 13 AAC 04.320(d)      | Lights turned on when on highway—motor<br>driven cycle                   | 60      |
| 13 AAC 04.325(a)      | Bicycle taillight requirements   | Corr/40 |
| 13 AAC 04.325(a)-(b)  | Motorcycle taillight requirements  | Corr/40 |
| 13 AAC 04.330(a)-(b)  | Motorcycle stop/turn light requirements                                  | Corr/40 |
| 13 AAC 04.335(a)      | Motorcycle reflector requirements  | Corr/30 |
| 13 AAC 04.335(b)      | Bicycle reflector requirements   | Corr/20 |
| 13 AAC 04.340(a)      | Motorcycle brake requirements  | Corr/90 |
| 13 AAC 04.340(b)      | Bicycle brakes   | Corr/40 |
| 13 AAC 04.345(a)      | Motorcycle handgrips and foot-rests for<br>passengers                    | Corr/50 |
| 13 AAC 04.345(b)      | Motorcycle handlebar requirements  | Corr/75 |
| 13 AAC 04.350(a)      | Helmet required-minors/passengers (AS 28.35.245 exempts adults)          | 75      |
| 13 AAC 04.350(b)      | Eye-protective device required when no windscreen                        | 50      |
| 13 AAC 04.350(c)      | Minimum equipment for rent/lease/loan of motorcycle                      | 75      |
| 13 AAC 04.355(a)      | Other equipment required (horn, mirrors, tires, emission control system) |         |
|                       | -Bicycle   | Corr/40 |
|                       | -Motor-driven cycle  | Corr/40 |
| 13 AAC 04.355(b)      | Motorcycle windshield requirements                                       | Corr/60 |
| 13 AAC 04.400(a)-(b)  | Snowmobile/off highway vehicle lights and reflectors                     | Corr/60 |
| 13 AAC 04.405         | Snowmobile/off highway vehicle brakes                                    | Corr/60 |
| 13 AAC 04.410         | Snowmobile/off highway vehicle throttle                                  | Corr/60 |
| 13 AAC 04.415(a)-(b)  | Snowmobile/off highway vehicle   | Corr/60 |
|                       | muffler/emission controls  |         |
| 13 AAC 04.420(a)-(b)  | Snowmobile/off highway vehicle other equipment                           | Corr/40 |
| 13 AAC 04.420(a)(4)   | Rigid draw bar required when towing with snowmobile                      | Corr/50 |

Supreme Court No. 1585 Page 13 of 24 Effective Date: August 15, 2005 Statute or Regulation **Description of Offense** Bail Corr/50 13 AAC 08.030 School bus driver permit must be carried and displayed upon demand Unlawful use of classified license 13 AAC 08.140 50 Transportation of hazardous materials 17AAC 25.200 300 State Federal **Description of Offense** Bail Regulation Regulation 49 CFR Aiding or abetting violations 17 AAC 400 25.210 390.13 17 AAC 49 CFR Records and assistance required to be 300 available 25.210 390.15 17.AAC 49 CFR Marking of commercial vehicles 200 25.210 390.21 False Statement/Record 17 AAC 49 CFR 400 25.210 390.35 17 AAC 49 CFR Driving a CV with insufficient 200 25.210 391.21 employment application 17 AAC 49 CFR Driving a CV without road test certificate 200 25.210 391.31 17 AAC 49 CFR Driving A CV without medical examiner's 200 25.210 391.41 certificate in possession 17 AAC 49 CFR Corrective lenses to be worn 150 25.210 391.41(b)(10) 17 AAC 49 CFR Hearing aid to be worn 150 25.210 391.41(b)(11) 17 AAC 49 CFR 392.4 Possession/influence/use of drugs/other 300 25.210 substances while on duty 17 AAC 49 CFR 392.6 Carrier schedule requires violation of 300 25.210 speed limits 17 AAC 49 CFR 392.7 Failure to check/use parts and 150 25.210 accessories

| State<br>Regulation | Federal<br>Regulation | Description of Offense  | Bail |
|---------------------|-----------------------|---|------|
| 17 AAC<br>25.210    | 49 CFR 392.8          | Failure to check/use emergency equipment  | 150  |
| 17 AAC<br>25.210    | 49 CFR 392.9          | Safe loading of cargo and passengers required   | 300  |
| 17 AAC<br>25.210    | 49 CFR<br>392.11      | Slow and exercise caution approaching railroad crossing   | 200  |
| 17 AAC<br>25.210    | 49 CFR<br>392.14      | Extreme caution and reduced speed or<br>discontinued operation required in<br>hazardous condition | 300  |
| 17 AAC<br>25.210    | 49 CFR<br>392.16      | Seat belt must be used if installed   | 150  |
| 17 AAC<br>25.210    | 49 CFR<br>392.20      | Leaving vehicle unattended without setting parking brake and taking other precautions             | 300  |
| 17 AAC<br>25.210    | 49 CFR<br>392.21      | Stop/park on traveled portion of highway  | 200  |
| 17 AAC<br>25.210    | 49 CFR<br>392.22      | Hazard warning signals required when stop on highway or shoulder                                  | 200  |
| 17 AAC<br>25.210    | 49 CFR<br>392.24      | Lighted fusee may not be attached to vehicle  | 150  |
| 17 AAC<br>25.210    | 49 CFR<br>392.25      | Flame-producing emergency signal may not be used with dangerous cargo                             | 300  |
| 17 AAC<br>25.210    | 49 CFR<br>392.33      | Lamps or reflectors obscured  | 200  |
| 17 AAC<br>25.210    | 49 CFR<br>392.50      | Unsafe fueling practices  | 100  |
| 17 AAC<br>25.210    | 49 CFR<br>392.51      | Reserve fuel carried improperly   | 200  |

| State<br>Regulation | Federal<br>Regulation | Description of Offense   | Bail                 |
|---------------------|-----------------------|--|----------------------|
| 17 AAC<br>25.210    | 49 CFR<br>392.60      | Transporting unauthorized person                                 | 150                  |
| 17 AAC<br>25.210    | 49 CFR<br>392.62      | Bus driver: Conversation/distraction prohibited                  | 150                  |
| 17 AAC<br>25.210    | 49 CFR<br>392.63      | Towing or pushing loaded bus                                     | 300                  |
| 17 AAC<br>25.210    | 49 CFR<br>392.64      | Riding in closed vehicle without proper exit                     | 150                  |
| 17 AAC<br>25.210    | 49 CFR<br>392.66      | Carbon monoxide: Use of vehicle when detected                    | 300                  |
| 17 AAC<br>25.210    | 49 CFR<br>392.67      | No open flame heater while vehicle in motion                     | 300                  |
| 17 AAC<br>25.210    | 49 CFR<br>392.71      | Radar detector; use and/or possession                            | 300                  |
| 17 AAC<br>25.210    | 49 CFR<br>393.9       | Lamps operable   | 15/lamp <sup>3</sup> |
| 17 AAC<br>25.210    | 49 CFR<br>393.11      | Lighting devices and reflectors                                  | 15/lamp <sup>3</sup> |
| 17 AAC<br>25.210    | 49 CFR<br>393.17      | Lamps and reflectors—Combinations in driveaway-towaway operation | 10/lamp <sup>3</sup> |
| 17 AAC<br>25.210    | 49 CFR<br>393.19      | Requirements for turn signaling systems                          | 150                  |
| 17 AAC<br>25.210    | 49 CFR<br>393.20      | Clearance lamps to indicate extreme width and height             | 15/lamp <sup>3</sup> |
| 17 AAC<br>25.210    | 49 CFR<br>393.22      | Combination of lighting devices and reflectors                   | 15/lamp <sup>3</sup> |
| 17 AAC<br>25.210    | 49 CFR<br>393.23      | Lighting devices to be electric                                  | 15/lamp <sup>3</sup> |

| State<br>Regulation | Federal<br>Regulation | Description of Offense  | Bail                      |
|---------------------|-----------------------|---|---------------------------|
| 17 AAC<br>25.210    | 49 CFR<br>393.24      | Requirements for head lamps and auxiliary road lighting lamps | 15/lamp <sup>3</sup>      |
| 17 AAC<br>25.210    | 49 CFR<br>393.25      | Requirements for lamps other than head lamps                  | 15/lamp <sup>3</sup>      |
| 17 AAC<br>25.210    | 49 CFR<br>393.26      | Requirements for reflectors                                   | 15/reflector <sup>3</sup> |
| 17 AAC<br>25.210    | 49 CFR<br>393.27      | Wiring specifications   | 75                        |
| 17 AAC<br>25.210    | 49 CFR<br>393.28      | Wiring to be protected  | 75                        |
| 17 AAC<br>25.210    | 49 CFR<br>393.29      | Grounds   | 75                        |
| 17 AAC<br>25.210    | 49 CFR<br>393.30      | Battery installation  | 75                        |
| 17 AAC<br>25.210    | 49 CFR<br>393.31      | Overload protective devices                                   | 75                        |
| 17 AAC<br>25.210    | 49 CFR<br>393.33      | Wiring, installation  | 75                        |
| 17 AAC<br>25.210    | 49 CFR<br>393.32      | Detachable electrical connections                             | 75                        |
| 17 AAC<br>25.210    | 49 CFR<br>393.40      | Required brake systems  | 300                       |
| 17 AAC<br>25.210    | 49 CFR<br>393.41      | Parking brake system  | 150                       |
| 17 AAC<br>25.210    | 49 CFR<br>393.42      | Brakes required on all wheels                                 | 300                       |
| 17 AAC<br>25.210    | 49 CFR<br>393.43      | Breakaway and emergency braking                               | 300                       |

| State<br>Regulation | Federal<br>Regulation | Description of Offense                                    | Bail |
|---------------------|-----------------------|---|------|
| 17 AAC<br>25.210    | 49 CFR<br>393.44      | Front brake lines, protection                             | 300  |
| 17 AAC<br>25.210    | 49 CFR<br>393.45      | Brake tubing and hose, adequacy                           | 150  |
| 17 AAC<br>25.210    | 49 CFR<br>393.46      | Brake tubing and hose connections                         | 150  |
| 17 AAC<br>25.210    | 49 CFR<br>393.47      | Brake lining  | 150  |
| 17 AAC<br>25.210    | 49 CFR<br>393.48      | Brakes to be operative                                    | 300  |
| 17 AAC<br>25.210    | 49 CFR<br>393.49      | Single valve to operate all brakes                        | 300  |
| 17 AAC<br>25.210    | 49 CFR<br>393.50      | Reservoirs required                                       | 200  |
| 17 AAC<br>25.210    | 49 CFR<br>393.51      | Warning devices and gauges                                | 200  |
| 17 AAC<br>25.210    | 49 CFR<br>393.52      | Brake performance   | 300  |
| 17 AAC<br>25.210    | 49 CFR<br>393.53      | Automatic brake adjusters and brake adjustment indicators | 300  |
| 17 AAC<br>25.210    | 49 CFR<br>393.60      | Glazing in specified openings                             | 75   |
| 17 AAC<br>25.210    | 49 CFR<br>393.61      | Window construction                                       | 100  |
| 17 AAC<br>25.210    | 49 CFR<br>393.62      | Window obstructions                                       | 150  |
| 17 AAC<br>25.210    | 49 CFR<br>393.63      | Windows, markings   | 100  |

| State<br>Regulation | Federal<br>Regulation | Description of Offense   | Bail                  |
|---------------------|-----------------------|--|-----------------------|
| 17 AAC<br>25.210    | 49 CFR<br>393.65      | All fuel systems   | 100                   |
| 17 AAC<br>25.210    | 49 CFR<br>393.67      | Liquid fuel tanks  | 100                   |
| 17 AAC<br>25.210    | 49 CFR<br>393.69      | Liquefied petroleum gas systems  | 100                   |
| 17 AAC<br>25.210    | 49 CFR<br>393.70      | Coupling devices and towing methods,<br>except for driveaway-towaway<br>operations | 200                   |
| 17 AAC<br>25.210    | 49 CFR<br>393.71      | Coupling devices and towing methods, driveaway-towaway operations                  | 200                   |
| 17 AAC<br>25.210    | 49 CFR<br>393.75      | Tires  | 100/tire <sup>3</sup> |
| 17 AAC<br>25.210    | 49 CFR<br>393.76      | Sleeper berths   | 75                    |
| 17 AAC<br>25.210    | 49 CFR<br>393.77      | Heaters  | 150                   |
| 17 AAC<br>25.210    | 49 CFR<br>393.78      | Windshield wipers  | 150                   |
| 17 AAC<br>25.210    | 49 CFR<br>393.79      | Defrosting device  | 150                   |
| 17 AAC<br>25.210    | 49 CFR<br>393.80      | Rear-vision mirrors  | 150                   |
| 17 AAC<br>25.210    | 49 CFR<br>393.81      | Horn   | 75                    |
| 17 AAC<br>25.210    | 49 CFR<br>393.82      | Speedometer  | 150                   |
| 17 AAC<br>25.210    | 49 CFR<br>393.83      | Exhaust systems  | 200                   |

| State<br>Regulation | Federal<br>Regulation | Description of Offense   | Bail |
|---------------------|-----------------------|--|------|
| 17 AAC<br>25.210    | 49 CFR<br>393.84      | Floors   | 75   |
| 17 AAC<br>25.210    | 49 CFR<br>393.86      | Rear end protection  | 300  |
| 17 AAC<br>25.210    | 49 CFR<br>393.87      | Flags on projecting loads                                      | 200  |
| 17 AAC<br>25.210    | 49 CFR<br>393.88      | Television receivers   | 150  |
| 17 AAC<br>25.210    | 49 CFR<br>393.89      | Buses, driveshaft protection                                   | 150  |
| 17 AAC<br>25.210    | 49 CFR<br>393.90      | Buses, standee line or bar                                     | 150  |
| 17 AAC<br>25.210    | 49 CFR<br>393.91      | Buses, aisle seats prohibited                                  | 150  |
| 17 AAC<br>25.210    | 49 CFR<br>393.92      | Buses, marking emergency doors                                 | 200  |
| 17 AAC<br>25.210    | 49 CFR<br>393.93      | Seats, seat belt assemblies and seat belt assembly anchorages  | 150  |
| 17 AAC<br>25.210    | 49 CFR<br>393.94      | Vehicle interior noise levels                                  | 150  |
| 17 AAC<br>25.210    | 49 CFR<br>393.95      | Emergency equipment on all power units                         | 150  |
| 17 AAC<br>25.210    | 49 CFR<br>393.100     | General rules for protection against shifting or falling cargo | 300  |
| 17 AAC<br>25.210    | 49 CFR<br>393.102     | Securement systems   | 300  |
| 17 AAC<br>25.210    | 49 CFR<br>393.104     | Blocking and bracing   | 150  |

| State<br>Regulation | Federal<br>Regulation | Description of Offense                                | Bail                   |
|---------------------|-----------------------|---|------------------------|
| 17 AAC<br>25.210    | 49 CFR<br>393.106     | Front-end structure                                   | 300                    |
| 17 AAC<br>25.210    | 49 CFR<br>393.201     | Frames  | 200                    |
| 17 AAC<br>25.210    | 49 CFR<br>393.203     | Cab and body components                               | 200                    |
| 17 AAC<br>25.210    | 49 CFR<br>393.205     | Wheels  | 100/wheel <sup>3</sup> |
| 17 AAC<br>25.210    | 49 CFR<br>393.207     | Suspension systems                                    | 150                    |
| 17 AAC<br>25.210    | 49 CFR<br>393.209     | Steering wheel systems                                | 200                    |
| 17 AAC<br>25.210    | 49 CFR 396.7          | Operation in unsafe condition forbidden               | 300                    |
| 17 AAC<br>25.210    | 49 CFR<br>396.9(c)(2) | Operation of "Out of Service" vehicle prohibited      | 300                    |
| 17 AAC<br>25.210    | 49 CFR<br>396.9(c)(3) | Removal of "Out of Service" sticker prohibited        | 300                    |
| 17 AAC<br>25.210    | 49 CFR<br>396.11      | Failure to prepare daily vehicle inspection report    | 75                     |
| 17 AAC<br>25.210    | 49 CFR<br>396.13      | Failure to review/sign last vehicle inspection report | 75                     |
| 17 AAC<br>25.210    | 49 CFR<br>396.17      | Periodic inspection and documentation required        | 100                    |
| 17 AAC<br>25.210    | 49 CFR<br>399.207     | Truck and truck-tractor access requirements           | 75                     |
| 17 AAC<br>25.210    | 49 CFR<br>399.211     | Steps, handholds and deck plates must be maintained   | 75                     |

| State<br>Regulation | Federal<br>Regulation                  | Description of Offense   | Bail              |
|---------------------|--|--|-------------------|
| 17 AAC<br>25.220    | 49 CFR<br>395.1(h)                     | Maximum driving and on-duty time in<br>Alaska  | 200               |
| 17 AAC<br>25.220    | 49 CFR 395.                            | 8 Driver must record duty status   | 150               |
| 17 AAC<br>25.220    | 49 CFR<br>395.13(c)                    | Motor carrier may not allow out-of-<br>service driver to drive   | 300               |
| 17 AAC<br>25.220    | 49 CFR<br>395.13(d)                    | Out-of-service driver may not drive  | 300               |
| Statute or Re       | gulation                               | Description of Offense   | Bail              |
| 17 AAC 42.02        | 20(a)(3)                               | Failure to obey posted sign, signal or control device on a highway or vehicular way/area (international airport):          |                   |
|                     |  | -Motor vehicle   | 50                |
|                     | 00/h)                                  | -Pedestrian or non-motorized vehicle   | 30                |
| 17 AAC 42.02        | U(D)                                   | Failure to remain in public area provided for<br>particular class of traffic or mode of travel<br>(international airport)  | 30                |
| 17 AAC 42.03        | 80(b)                                  | Operation of aircraft on a highway   | 50                |
| 17 AAC 42.08        | 80(a)                                  | (international airport)<br>Failure to operate motor vehicle in   | 50                |
| 17700 42.00         | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | accordance with airport operational orders<br>under 17 AAC 42.020(a)(2) (international<br>airport)                         | 50                |
| 17 AAC 42.08        | 80(b)                                  | Improper vehicular crossing of airport boundary (international airport)  | 50                |
| 17 AAC 42.08        | 30(c)                                  | Operating a vehicle in a manner that   | 100               |
|                     |  | interferes with aircraft (international airport)   |                   |
| 17 AAC 42.08        | 30(d)                                  | Speeding (international airport):<br>-3-19 mph over limit<br>-20 mph or more over limit                                    | 8/mi.4<br>12/mi.4 |
| 17 AAC 42.08        | 30(e)                                  | Illegal parking/abandoning vehicle in a<br>terminal building baggage or service vehicle<br>area (international airport)    | 50                |
| 17 AAC 42.08        | 30(g)                                  | Operating a vehicle in an airport restricted<br>area without a current valid operator's license<br>(international airport) | 100               |
| 17 AAC 42.08        | 35                                     | Ramp operator's permit required for operation<br>in airport restricted area (international airport)                        | 50                |

| Statute or Regulation             | Description of Offense  | Bail     |
|-----------------------------------|---|----------|
| 17 AAC 42.085<br>17 AAC 42.090(b) | Improper operation on runways<br>Illegal parking/abandoning vehicle in a<br>prohibited area (international airport) | 200      |
|                                   | -more than 300 feet from a terminal<br>-within 300 feet of a terminal   | 30<br>50 |
| 17 AAC 42.090(b)                  | Expired Parking Meter (international airport)   | 20       |
| 17 AAC 42.095(a)                  | Commercial passenger vehicle must obtain<br>permit (international airport)  | 50       |
| 17 AAC 45.020(a)(3)               | Failure to obey posted sign, signal or control device on a highway or vehicular way/area (rural airport):           |          |
|                                   | -Motor vehicle  | 50       |
|                                   | -Pedestrian or non-motorized vehicle  | 30       |
| 17 AAC 45.020(b)                  | Failure to remain in public area provided for<br>particular class of traffic or mode of travel<br>(rural airport)   | 30       |
| 17 AAC 45.030(b)                  | Operation of aircraft on a highway (rural airport)  | 50       |
| 17 AAC 45.080(a)                  | Failure to operate motor vehicle in accordance with airport operational orders                                      | 50       |
| 17 AAC 45.080(b)                  | under 17 AAC 45.020(a)(2)(rural airport)<br>Improper vehicular crossing of airport                                  | 50       |
|                                   | boundary (rural airport)  |          |
| 17 AAC 45.080(c)                  | Operating a vehicle in a manner that<br>interferes with aircraft (rural airport)                                    | 100      |
| 17 AAC 45.080(d)                  | Speeding (rural airport):   | o ( 14   |
|                                   | -3-19 mph over limit  | 8/mi.4   |
|                                   | -20 mph or more over limit  | 12/mi.⁴  |
| 17 AAC 45.080(e)                  | Illegal parking/abandoning vehicle in a<br>terminal building baggage or service vehicle<br>area (rural airport)     | 50       |
| 17 AAC 45.080(g)                  | Operating a vehicle in an airport restricted area without a current valid operator's license                        | 100      |
| 17 AAC 45.085                     | (rural airport)<br>Ramp operator's permit required for operation  | 50       |
|                                   | in airport restricted area (rural airport)  |          |
| 17 AAC 45.090(c)                  | Expired parking meter (rural airport)   | 20       |
| 17 AAC 45.090(d)                  | Illegal parking/abandoning vehicle in a<br>prohibited area (rural airport)  |          |
|                                   | -more than 300 feet from a terminal   | 30       |
|                                   | -within 300 feet of a terminal  | 50       |

| Statute or Regulation | Description of Offense   | Bail |
|-----------------------|--|------|
| 17 AAC 45.095(d)      | Commercial passenger vehicles must obtain permit (rural airport) | 50   |

<sup>3</sup> Maximum bail amount: 500. AS 45.75.380(a)(11) and AS 12.55.035(b)(7) – violations. The penalty and the maximum are *not* doubled in highway work zones.

<sup>4</sup> Maximum bail amount: \$500. AS 02.15.240 – misdemeanors. The penalty and the maximum are *not* doubled in highway work zones.

<sup>&</sup>lt;sup>1</sup> Maximum bail amount: \$300. AS 28.40.050(c). Maximum bail amount in highway work zone: \$600.

<sup>&</sup>lt;sup>2</sup> If this offense resulted in physical injury to a person, the officer must cite it as a mandatory court appearance (MCA). If there was no physical injury to a person, the offense should be cited as a mail-inbail offense at the bail forfeiture amount listed.

# DATED: August 11, 2005

EFFECTIVE DATE: August 15, 2005

/s/ Chief Justice Bryner

<u>/s/</u> Justice Matthews

<u>/s/</u> Justice Eastaugh

<u>/s/</u> Justice Fabe

<u>/s/</u> Justice Carpeneti